

according to Regulation (EC) No 1907/2006

Super glue – The original

Revision date: 16.04.2018

Product code: 17330xx0

Page 1 of 7

Renfert GmbH

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Super glue - The original Further trade names 1733 0100 Sekundenkleber 6 x 10 g 1733 0050 Sekundenkleber 6 x 5 g 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Adhesives, sealants Uses advised against No information available. 1.3. Details of the supplier of the safety data sheet Company name: Renfert GmbH Street: Untere Giesswiesen 2 Place: D-78247 Hilzingen Telephone: +49 7731 8208-0 Telefax: +49 7731 8208-70 info@renfert.com e-mail: Contact person: Frau Andris Telephone: +49 7731 8208-927 silke.andris@renfert.com e-mail[.] Internet: www.renfert.com GB: 0044 151 951 3317 (Health and Safety Executive (HSE) Chemicals) | USA: 1.4. Emergency telephone number: 800-222-1222 (National Poison Control number) | CA: British Columbia: 800-567-8911 or 604-682-5050 Alberta: 1-800-332-1414 or 944-1414 Saskatchewan: 1-866-454-1212 Manitoba: 1-855-776-4766 Ontario: 1-800-268-9017 Quebec: 1-800-463-5060 New Brunswick: 911 New Foundland: 1-866-727-1110 Northwest Territories: 1-800-332-1414 Nova Scotia: 1-800-565-8161 | AU: 13 11 26 | ZA: 021 938 6084 (Office Hours) or 021 931 6129 (24 Hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Pictograms:

Regulation (EC) No. 1272/2008 Hazard components for labelling

ethyl 2-cyanoacrylate

Signal word:

Warning

Hazard statements

H315 H319	Causes skin irritation. Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P337+P313	If eye irritation persists: Get medical advice/attention.



according to Regulation (EC) No 1907/2006

Super glue – The original

Revision date: 16.04.2018

Product code: 17330xx0

Page 2 of 7

Renfert GmbH

Special labelling of certain mixtures

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Cyanoacrylate containing adhesive.

Hazardous components

Chemical name			Quantity	
EC No	Index No	REACH No		
Classification according to	Regulation (EC) No. 1272/2008 [CLP]			
ethyl 2-cyanoacrylate			50 - 100 %	
230-391-5	607-236-00-9	01-2119527766-29		
Skin Irrit. 2, Eye Irrit. 2, S	TOT SE 3; H315 H319 H335			
2-Propenoic acid, 2-methy	< 10 %			
618-476-9				
Skin Irrit. 2, Eye Irrit. 2, S				
Bis(2-ethylhexyl)maleate	0,3 - < 1 %			
205-524-5				
STOT RE 2, Aquatic Chro				
1,4-dihydroxybenzene				
204-617-8	604-005-00-4			
Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H351 H341 H302 H318 H317 H400 H410				
	EC No Classification according to ethyl 2-cyanoacrylate 230-391-5 Skin Irrit. 2, Eye Irrit. 2, S' 2-Propenoic acid, 2-methy 618-476-9 Skin Irrit. 2, Eye Irrit. 2, S' Bis(2-ethylhexyl)maleate 205-524-5 STOT RE 2, Aquatic Chro 1,4-dihydroxybenzene 204-617-8 Carc. 2, Muta. 2, Acute To	EC No Index No Classification according to Regulation (EC) No. 1272/2008 [CLP] ethyl 2-cyanoacrylate 230-391-5 607-236-00-9 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propensition (EC) No. 1272/2008 [CLP] 618-476-9 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 Bis(2-ethylhexyl)maleate 205-524-5 STOT RE 2, Aquatic Chronic 1; H373 H410 1,4-dihydroxybenzene 204-617-8 604-005-00-4 Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1B, Aquatic A	EC No Index No REACH No Classification according to Regulation (EC) No. 1272/2008 [CLP] ethyl 2-cyanoacrylate 230-391-5 607-236-00-9 01-2119527766-29 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propenoate 618-476-9 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 Skin Irrit. 2, Eye Irrit. 1, STOT SE 3; H315 H319 H335 Stor Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 Bis(2-ethylhexyl)maleate 205-524-5 STOT RE 2, Aquatic Chronic 1; H373 H410 1,4-dihydroxybenzene 204-617-8 604-005-00-4 Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Ch	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

Super glue – The original

Revision date: 16.04.2018

Product code: 17330xx0

Page 3 of 7

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Allow stiffening. Take up mechanically.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Use only in well-ventilated areas. Avoid contact with eyes and skin. When using do not eat, drink or smoke.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

storage temperature: 10°C

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

7.3. Specific end use(s)

Please refer to our internet website for more information: www.renfert.com

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	-	-		TWA (8 h)	WEL
		0.3	1.5		STEL (15 min)	WEL
123-31-9	Hydroquinone	-	0.5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Safe handling: see section 7

Protective and hygiene measures

Do not breathe vapour.

Avoid contact with skin, eyes and clothes.

Wash hands before breaks and after work.

Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.



Test method

150 °C Literaturwert

87 °C DIN 51758

not applicable

not determined



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Super glue – The original

Revision date: 16.04.2018

Product code: 17330xx0

Page 4 of 7

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,5 mm

Breakthrough time: > 30 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Respiratory protection necessary at: insufficient ventilation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	characteristic

pH-Value:

Changes in the physical state

Melting point:

Initial bo	iling point	and bo	ling range:	
Initial bo	iling point	and bo	ling range:	

Flash point:

Explosive properties

not explosive according to EU A.14		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Ignition temperature:		not determined
Decomposition temperature:		not determined
Vapour pressure:		0,3 hPa
Density:		not determined
Water solubility:		practically insoluble
Partition coefficient:		not determined
Viscosity / dynamic:		not determined
Viscosity / kinematic:		not determined
Vapour density:		not determined
Evaporation rate:		not determined
Solvent content:	0,0 %	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Violent reaction with: Alcohols, Amines, Alkali (lye), Acid, Water

10.4. Conditions to avoid

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Super glue – The original

Product code: 17330xx0

Page 5 of 7

Renfert GmbH

Revision date: 16.04.2018

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7085-85-0	ethyl 2-cyanoacrylate					
	oral	LD50 mg/kg	> 5000	Rat		OECD 401
	dermal	LD50 mg/kg	> 2000	Rabbit		OECD 402
123-31-9	1,4-dihydroxybenzene					
	oral	LD50	375 mg/kg	Rat		OECD 401
	dermal	LD50 mg/kg	> 2000	Rabbit		OECD 402

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (ethyl 2-cyanoacrylate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

The product has not been tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

The product has not been tested. The statement is derived from the properties of the single components. Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)





according to Regulation (EC) No 1907/2006

Super glue – The original

Revision date: 16.04.2018

Product code: 17330xx0

Page 6 of 7

Revision date: 16.04.2018	Product code: 17330xx0	Page 6 of 7
Other applicable information (No dangerous good in sen	land transport) se of these transport regulations.	
Marine transport (IMDG)		
Other applicable information (No dangerous good in sen	marine transport) se of these transport regulations.	
Air transport (ICAO-TI/IATA-DGR)		
Other applicable information (air transport)	
No dangerous good in sen	se of these transport regulations.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARI	DOUS: no	
14.6. Special precautions for user		
not applicable		
	to Annex II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory infor	mation	
15.1. Safety, health and environm	ental regulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	not applicable	
National regulatory information	n	
Water contaminating class (D):	3 - highly water contaminating	
15.2. Chemical safety assessmen		
For the following substance ethyl 2-cyanoacrylate	es of this mixture a chemical safety assessment has been carried out:	
SECTION 16: Other information	n	
Changes		
	ata changed compared with the previous version	
Abbreviations and acronyms		
LD50: lethal dose, 50%	Service (division of the American Chemical Society)	
LC50: lethal concentration	50%	
EC50: half maximal effectiv		
	atif au transport international des marchandises Dangereuses par Route (European Agreement	
	al Carriage of Dangerous Goods by Road)	
	nt le transport international ferroviaire de marchandises Dangereuses (Regulations Concerning of Dangerous Goods by Rail)	
	ne Code for Dangerous Goods	
ICAO: International Civil Av		
	nvention for the Prevention of Marine Pollution from Ships	
VOC: volatile organic com	sed evaluation method according to Regulation (EC) No. 1272/2008 [CLP]	
Classification Skin Irrit. 2; H315	Classification procedure Calculation method	
,		
Eye Irrit. 2; H319	Calculation method Calculation method	
STOT SE 3; H335		
Aquatic Chronic 3; H412	Calculation method	
Relevant H and EUH statemen H302 Ha	ts (number and full text) rmful if swallowed.	
	uses skin irritation.	
	y cause an allergic skin reaction.	
	uses serious eye damage.	
H319 Ca	uses serious eye irritation.	

- H335 May cause respiratory irritation.
- Suspected of causing genetic defects. H341
- H351 Suspected of causing cancer. H373
- May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

	Renfert GmbH	1
Renfert	Safety Data Sheet	
	according to Regulation (EC) No 1907/2006	
	Super glue – The original	
Revision date: 16.04.2018	Product code: 17330xx0	Page 7 of 7
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.	
Further Information		
knowledge. The info data sheet, for stora case of mixing the p	on describes exclusively the safety requirements of the product and is based on our present-day rmation is intended to give you advice about the safe handling of the product named in this safety ge, processing, transport and disposal. The information cannot be transferred to other products. In the oduct with other products or in the case of processing, the information on this safety data sheet is not the new made-up material.	

Restricted to professional users.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)